



PRECISION THAT REFLECTS PREMIUMNESS

Door & Window Fittings

अक्स




Innovative by DNA


Our Doors & Window Fitting are made to last a lifetime while giving you the finest of experience.

At aks, we are committed to craft products with the highest precision. Our high-tech manufacturing process ensures that all our products, last long, stay strong and be smooth and precise at all times. From Hinges, Tower Bolts, Door Stoppers to Handles, we manufacture seamlessly with in-depth research to bring you artistically designed products.

Our product range comes in many eye-catching finishes, brass antique, SS Matte to Satin Lacquer. With the will to deliver best in class, we're always ready with the product of the highest standard.

Explore our range of tested and trusted 'Doors & Window Fittings' today.





OUR VISION

To make life better by crafting innovative and smart solutions.

OUR MISSION

To create a diverse range of smartly-designed and smoothly-functional solutions of high quality for our consumers.

*Customer
Satisfaction*

High Quality

*Diverse Product
Range*

Smart Designs

EXPLORING INFRASTRUCTURE

And to churn out those fascinating products, we've full-fledged in-house machines like no other. Fully equipped to develop our products. Our modern-day marvels range from CNC machine, Laser cutting machine, Hydraulic presses, Power presses, Welding house, Plating plant, Polish plant to Automatic packaging. Additionally, we have a state-of-the-art die and mould manufacturing unit to make premium products with great precision and high quality. Truly, our machines are ENGINEERED TO EXCEL.

We combine new age aesthetics with advanced machinery to manufacture 'Doors & Window Fittings' that are top of the line. Our technical process is designed to ensure that all our products are crafted with the utmost precision to deliver the smoothest fit and functionality.





Outstanding Technology

Our manufacturing processes bear the highest markers of quality and performance.

OUR ORIGINS

Spanning over 2 decades, our journey is a combination of sheer strength and will to evolve. We are determined to never stop.



1980


Shri MS Jain manually started SS sheet production in Wazirpur Industrial Area.

1996

Set up in house production of stainless steel sheets under single roof.

Introduced "Cabinet/window handles". Also, started design and development of door and window accessories.

2004



2003

AKS got registered.

2001

Expanded from 6 employees to 100 employees. Launched new product line - "Door and window fittings" with tower bolts and al-drops.

1998

Mr. Naveen Jain incorporated the company as "Steel Paradise INDIA Pvt. Ltd." Also, started hinges production with only 650 sq. mt. area.





2014

Expanded production in Bawana in 8000 meter area, employees strength increased to 600. Started "Mortise handles made in one piece stainless steel" with unique designs.

2011

Came up with premium concept of designer sheet baskets first time ever in India.

2020

Continued expansion in "Locking solutions" by launching special series of "Matte finished products." Came up with royal finish "rose gold color" for locks, hinges and door handles.

2005

Expanded in Shahbad Daulatpur Village with around 2000 sq. mt. area and 200 employees.

2007

Due to the great strength in manufacturing high quality stainless steel products and market demand stainless steel screws manufacturing was established.



INDEX

1.	Hinges	09-19
2.	Tower Bolt	20-34
3.	Baby Latch	35-36
4.	Door Stopper	37-42
5.	Al-Drop	43-53
6.	Latch	54-55
7.	Rose Pull Handle	56-60
8.	Pull Handle	61-70
9.	Window Handle	71-74
10.	Door Closer	75





HINGES

Hinges

The flawless alignment of our range of hinges ensures uninterrupted and effortless movement without any noise.

- Crafted in AISI - 316, AISI - 304 & AISI - 202 stainless steel grades.
- Designed and manufactured according to BHMA/ANSI A156.1 standard
- Manufactured as per BSEN 1935 standards for European economic area.
- Smooth functioning.
- Available in Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Scotch Bright Rose Gold and black matt finish.
- Fits all size and types of doors.



Four Ball Bearing Hinges




- Can be used for any doors or windows premium quality product that will have smooth functioning.
- Complies with BS EN 1935 Grade 13.
- AISI-304 Grade Stainless Steel
- Available in ANSI hole pattern (Template Drilled) & ZIC-ZAC hole pattern.
- Square and radius corner.
- High corrosion resistance
- Fire resistant
- Maximum adjusted door weight 120 kgs.
- Tested for more than 600000 cycles.


Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Scotch Bright Rose Gold, Matt Black.

Product	Article	Height (H)	Width (W)	Thickness (T)	No. of Hole
4" x 3.0" x 3.00	990105XX	101.6mm	76.2mm	3.00mm	8
5" x 3.0" x 3.00	990106XX	127.0mm	76.2mm	3.00mm	10
6" x 3.0" x 3.00	990107XX	152.4mm	76.2mm	3.00mm	10


4" x 3" x 3.00



5" x 3" x 3.00



6" x 3" x 3.00








Double Ball Bearing Hinges



- Can be used for any doors or windows premium quality product that will have smooth functioning.
- Designed and manufactured according to BHMA/ANSI A156.1 grade 2. Complies with BS EN 1935 Grade 13.
- AISI-304 Grade Stainless Steel
- Available in ANSI hole pattern (Template Drilled) & ZIC-ZAC hole pattern.
- Square and radius corner.
- High corrosion resistance
- Fire resistant
- Maximum adjusted door weight 120 kgs.
- Tested for more than 600000 cycles.

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Scotch Bright Rose Gold, Matt Black.

Product	Article	Height (H)	Width (W)	Thickness (T)	No. of Hole
4"×3.0"×3.00	990205XX	101.6mm	76.2mm	3.00mm	8
5"×3.0"×3.00	990206XX	127.0mm	76.2mm	3.00mm	10
4"×3.5"×3.00	990208XX	101.6mm	88.9mm	3.00mm	8
5"×3.5"×3.00	990209XX	127.0mm	88.9mm	3.00mm	10
4"×4.0"×3.00	990210XX	101.6mm	101.6mm	3.00mm	8







Double Ball Bearing Hinges



- Can be used for any doors or windows premium quality product that will have smooth functioning.
- Complies with BS EN 1935 Grade 13.
- AISI-304 Grade Stainless Steel
- Available in ANSI hole pattern (Template Drilled) & ZIC-ZAC hole pattern.
- Square and radius corner.
- High corrosion resistance
- Fire resistant
- Maximum adjusted door weight 120 kgs.
- Tested for more than 200000 cycles.

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Scotch Bright Rose Gold, Matt Black.

Product	Article	Height (X)	Width (Y)	Thickness (T)	No. of Hole
3"×2.50×2.50	990201XX	76.00mm	63.5mm	2.5mm	6
4"×2.50×2.50	990202XX	100.0mm	62.5mm	2.5mm	8
4"×3.0"×2.50	990203XX	100.0mm	76.0mm	2.5mm	8
5"×3.0"×2.50	990204XX	125.0mm	76.0mm	2.5mm	8



Flush Hinges




- Flush hinges are easy to install as they can be fastened directly door and door frame (do not require any recesses to be cut out).
- Can be used for any doors or windows premium quality product that
- will have smooth functioning.
- Complies with BS EN 1935 Grade 13.
AISI-304 Grade Stainless Steel
- Available in ANSI hole pattern.
- High corrosion resistance
- Fire resistant
- Maximum adjusted door weight 120 kgs.
- Tested for more than 200000 cycles.


Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Scotch Bright Rose Gold, Matt Black.

Product	Article	Height (X)	Width (Y)	Thickness (T)	No. of Hole
4" x 3.0" x 2.50	990301XX	101.6mm	76.8mm	2.5mm	8
5" x 3.0" x 3.00	990302XX	127.0mm	76.2mm	3.0mm	7

5" x 3" x 3.00



4" x 3" x 2.5




Pin Butt Hinges



- Can be used for any doors or windows premium quality product that will have smooth functioning.
- Complies with BS EN 1935 Grade 13.
- AISI-304 Grade Stainless Steel
- Available in ANSI hole pattern (Template Drilled) & ZIC-ZAC hole pattern.
- Square and radius corner.
- High corrosion resistance
- Fire resistant
- Maximum adjusted door weight 120 kgs.
- Tested for more than 200000 cycles.

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Height (H)	Width (W)	Thickness (T)	Knuckle Diameter(Ø)	No. of Hole
3"×1.0"×2.50	990404XX	75.00mm	50.00mm	2.5mm	9mm	6
3"×1.0"×2.50	990405XX	75.00mm	62.50mm	2.5mm	11mm	6
4"×1.0"×2.50	990406XX	100.0mm	62.50mm	2.5mm	11mm	8
5"×1.0"×2.50	990407XX	100.0mm	66.50mm	2.5mm	11mm	8
4"×1.25"×2.50	990409XX	125.0mm	74.00mm	2.5mm	11mm	8
5"×1.25"×2.50	990410XX	100.0mm	76.00mm	2.5mm	11mm	8




Pin Butt Hinges



- Can be used for any doors or windows premium quality product that will have smooth functioning.
- Complies with BS EN 1935 Grade 13.
- AISI-304 Grade Stainless Steel
- Available in ANSI hole pattern (Template Drilled) & ZIC-ZAC hole pattern.
- Square and radius corner.
- High corrosion resistance
- Fire resistant
- Maximum adjusted door weight 120 kgs.
- Tested for more than 200000 cycles.

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Height (H)	Width (W)	Thickness (T)	Knuckle Diameter(Ø)	No. of Hole
4"×1.0"×3.00	990411XX	101.6mm	63.5mm	3mm	13.0mm	8
5"×1.0"×3.00	990412XX	127.0mm	68.5mm	3mm	13.0mm	10
4"×1.25"×3.00	990416XX	101.6mm	76.0mm	3mm	14.2mm	8
5"×1.25"×3.00	990417XX	127.0mm	76.0mm	3mm	14.2mm	10
6"×1.25"×3.00	990418XX	152.0mm	76.0mm	3mm	14.2mm	10




Seamless Butt Hinges



- Can be used for any doors or windows premium quality product that will have smooth functioning.
- Complies with BS EN 1935 Grade 13.
- AISI-304 Grade Stainless Steel
- Available in ANSI hole pattern (Template Drilled) & ZIC-ZAC hole pattern.
- Square and radius corner.
- High corrosion resistance
- Fire resistant
- Maximum adjusted door weight 120 kgs.
- Tested for more than 200000 cycles.

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Antique Brass.

Product	Article	Height (H)	Width (W)	Thickness (T)	Knuckle Diameter(Ø)	No. of Hole
3"×1.0"×2.50	992504XX	75.00mm	50.0mm	2.5mm	9.00mm	6
3"×1.0"×2.50	992505XX	75.00mm	62.5mm	2.5mm	11.0mm	6
4"×1.0"×2.50	992506XX	100.0mm	62.5mm	2.5mm	11.0mm	8
5"×1.0"×2.50	992507XX	125.0mm	66.5mm	2.5mm	11.0mm	8
6"×1.0"×2.50	992508XX	150.0mm	66.5mm	2.5mm	11.0mm	8
4"×1.25"×2.50	992509XX	100.0mm	74.0mm	2.5mm	11.0mm	8
5"×1.25"×2.50	992510XX	125.0mm	76.0mm	3.0mm	11.0mm	8




Seamless Butt Hinges



- Can be used for any doors or windows premium quality product that will have smooth functioning.
- Complies with BS EN 1935 Grade 13.
- AISI-304 Grade Stainless Steel
- Available in ANSI hole pattern (Template Drilled) & ZIC-ZAC hole pattern.
- Square and radius corner.
- High corrosion resistance
- Fire resistant
- Maximum adjusted door weight 120 kgs.
- Tested for more than 200000 cycles.

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Antique Brass.

Product	Article	Height (H)	Width (W)	Thickness (T)	Knuckle Diameter(Ø)	No. of Hole
4"×1.0"×3.0	992511XX	101.6mm	63.5mm	3.0mm	13.0mm	8
5"×1.0"×3.0	992512XX	127.0mm	68.5mm	3.0mm	13.0mm	10
4"×1.25"×3.00	992516XX	101.6mm	76.0mm	3.0mm	14.2mm	8
5"×1.25"×3.00	992517XX	127.0mm	76.0mm	3.0mm	14.2mm	10
6"×1.25"×3.00	992518XX	152.0mm	76.0mm	3.0mm	14.2mm	10
4"×1.5"×3.00	992520XX	101.6mm	89.0mm	3.0mm	14.2mm	8
5"×1.5"×3.00	992521XX	127.0mm	89.0mm	3.0mm	14.2mm	10
6"×1.5"×3.00	992522XX	152.0mm	89.0mm	3.0mm	14.2mm	10
8"×1.5"×3.00	992523XX	200.0mm	89.0mm	3.0mm	14.2mm	12







Parliament Hinges



- Can be used for any doors or windows premium quality product that will have smooth functioning.
- Complies with BS EN 1935 Grade 13.
- AISI-304 Grade Stainless Steel
- Available in ZIC-ZAC hole pattern.
Square and radius corner.
- High corrosion resistance
- Fire resistant
- Maximum adjusted door weight 120 kgs.
- Tested for more than 100000 cycles.

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Height (H)	Width (W)	Thickness (T)	Knuckle Diameter(ø)	No. of Hole
(3") 4"×5"×3.00	992401XX	102.0mm	127.0mm	3mm	12mm	8
(4") 4"×6"×3.00	992402XX	102.0mm	152.0mm	3mm	12mm	8
(5") 4"×7"×3.00	992403XX	102.0mm	178.0mm	3mm	12mm	8
(6") 4"×8"×3.00	992404XX	102.0mm	203.0mm	3mm	12mm	8





TOWERBOLT


EVA TOWER BOLT



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"×12	980131XX	100mm	5×19	6
6"×12	980132XX	150mm	5×19	8
8"×12	980133XX	200mm	5×19	8
10"×12	980134XX	250mm	5×19	10
12"×12	980135XX	300mm	5×19	10
18"×12	980136XX	450mm	5×19	12





EVA TOWER BOLT



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"×10	980121XX	100mm	5×19	6
6"×10	980122XX	150mm	5×19	8
8"×10	980123XX	200mm	5×19	8
10"×10	980124XX	250mm	5×19	10
12"×10	980125XX	300mm	5×19	10




OPERA TOWER BOLT



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole ø
4"×12	982131XX	104mm	5×19	6
6"×12	982132XX	154mm	5×19	8
8"×12	982133XX	204mm	5×19	8
12"×12	982135XX	304mm	5×19	10
18"×12	982136XX	454mm	5×19	12
24"×12	982137XX	604mm	5×19	14




SECTION SQUARE



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole ø
4"×12	982131XX	100mm	5×19	6
6"×12	982132XX	150mm	5×19	8
8"×12	982133XX	200mm	5×19	8
12"×12	982135XX	300mm	5×19	10
18"×12	982136XX	450mm	5×19	12
24"×12	982137XX	600mm	5×19	14




SECTION ROUND



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"×12	982331XX	100mm	5×19	6
6"×12	982332XX	150mm	5×19	8
8"×12	982333XX	200mm	5×19	8
10"×12	982334XX	250mm	5×19	10
12"×12	982335XX	300mm	5×19	10
18"×12	982336XX	450mm	5×19	12
24"×12	982337XX	600mm	5×19	14




SECTION ROUND



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole ø
4"×10	982331XX	100mm	5×19	6
6"×10	982332XX	150mm	5×19	8
8"×10	982333XX	200mm	5×19	8
10"×10	982334XX	250mm	5×19	10
12"×10	982335XX	300mm	5×19	10
18"×10	982336XX	450mm	5×19	12




BARREL TOWER BOLT



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole Ø
6"×13	982432XX	150mm	5×19	10
8"×13	982433XX	200mm	5×19	10
12"×13	982434XX	250mm	5×19	12
18"×13	982435XX	300mm	5×19	12
24"×13	982436XX	450mm	5×19	14
36"×13	982437XX	600mm	5×19	16




SLEEK TOWER BOLT



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"×12	982531XX	100mm	5×19	6
6"×12	982532XX	150mm	5×19	8
8"×12	982533XX	200mm	5×19	8
10"×12	982534XX	250mm	5×19	10
12"×12	982535XX	300mm	5×19	10
18"×12	982536XX	450mm	5×19	12




SLEEK TOWER BOLT



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole Ø
3"×10	982520XX	75mm	5×19	6
4"×10	982521XX	100mm	5×19	6
6"×10	982522XX	150mm	5×19	8
8"×10	982523XX	200mm	5×19	8
10"×10	982524XX	250mm	5×19	10
12"×10	982525XX	300mm	5×19	10




PULSAR TOWER BOLT



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"×12	982631XX	100mm	5×19	6
6"×12	982632XX	150mm	5×19	8
8"×12	982633XX	200mm	5×19	8
10"×12	982634XX	250mm	5×19	10
12"×12	982635XX	300mm	5×19	10




L-PULSAR TOWER BOLT



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden

Available in - Stainless Steel

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"x10	982721XX	100mm	5x19	6
6"x10	982722XX	150mm	5x19	8
8"x10	982723XX	200mm	5x19	8
12"x10	982724XX	250mm	5x19	10




ROYAL TOWER BOLT



- Made up of aluminium
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Type of door : Wooden

Available in - Satin Lacquered, Antique Brass,
Antique Copper, Matt Black.

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"x10	984121XX	100mm	4x19	8
6"x10	984122XX	150mm	4x19	8
8"x10	984123XX	200mm	4x19	8
12"x10	984124XX	250mm	4x19	8
18"x10	984125XX	300mm	4x19	8
24"x10	984126XX	450mm	4x19	8




REGAL TOWER BOLT



- Made up of aluminium
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Type of door : Wooden

Available in - Satin Lacquered, Antique Brass,
Antique Copper, Matt Black.

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"x10	984221XX	100mm	4x19	8
6"x10	984222XX	150mm	4x19	8
8"x10	984223XX	200mm	4x19	8
10"x10	984224XX	250mm	4x19	8
12"x10	984225XX	300mm	4x19	8
18"x10	984226XX	450mm	4x19	8
24"x10	984227XX	600mm	4x19	8




XYLO TOWER BOLT



- Made up of aluminium
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Type of door : Wooden

Available in - Satin Lacquered, Antique Brass,
Antique Copper, Matt Black.

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"×10	984321XX	100mm	4×19	8
6"×10	984322XX	150mm	4×19	8
8"×10	984323XX	200mm	4×19	8
10"×10	984324XX	250mm	4×19	8
12"×10	984325XX	300mm	4×19	8
18"×10	984326XX	450mm	4×19	8
24"×10	984327XX	600mm	4×19	8




DUSTER BABY LATCH



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden
- Applications : Flush Door, Bathroom Door.

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole Ø
4"	972101XX	75mm	5×19	6
5"	972102XX	100mm	5×19	6




SLEEK BABY LATCH



- AISI-304 Grade Stainless Steel
- Smooth functioning , never interrupting movement.
- Various sizes available for all size doors and windows.
- High corrosion resistance.
- Fire resistant.
- Type of door : Wooden
- Applications : Flush Door, Bathroom Door.

Available in - Satin Lacquered, Matt Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Length (L)	Screw Size	No. of Hole Ø
3"	972201XX	79.5mm	5×19	6





AJANTA DOOR STOPPER



- Door stopper made from AISI-304 stainless steel and PU rubber.
- Smooth functioning , never interrupting movement.
- Made with high class precision.
- High corrosion resistance.
- Safety assured means no sharp bends or cuts.
- Various sizes available for all size doors and windows.
- Applications : Flush Door, Bathroom Door.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Height (H)	Screw Size	No. of Hole Ø
5"	940101XX	140mm	5×19	4





ALORA DOOR STOPPER



- Door stopper made from AISI-304 stainless steel and PU rubber.
- Smooth functioning , never interrupting movement.
- Made with high class precision.
- High corrosion resistance.
- Safety assured means no sharp bends or cuts.
- Various sizes available for all size doors and windows.
- Applications : Flush Door, Bathroom Door.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Height (H)	Screw Size	No. of Hole Ø
5"	940201XX	125mm	5×19	4




DOOR MAGNET



- Door stopper made from AISI-202 stainless steel and PU rubber.
- Smooth functioning , never interrupting movement.
- Made with high class precision.
- Corrosion resistance
- Safety assured means no sharp bends or cuts.
- Various sizes available for all size doors and windows.
- Applications : Flush Door, Bathroom Door.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Height (H)	Screw Size	No. of Hole Ø
5"	941101XX	82mm	5×19	5







SECTION SQUARE DOOR STOPPER



- Door stopper made from AISI-304 stainless steel and PU rubber.
- Smooth functioning , never interrupting movement.
- Made with high class precision.
- High corrosion resistance.
- Safety assured means no sharp bends or cuts.
- Various sizes available for all size doors and windows.
- Applications : Flush Door, Bathroom Door.

Available in - Satin Lacquered, Antique Brass, Antique Copper,
Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Height (H)	Screw Size	No. of Hole Ø
3"x12mm	942101XX	77mm	5x19	3




EVA DOOR SILENCER



- Door stopper made from AISI-304 stainless steel and PU rubber.
- Smooth functioning , never interrupting movement.
- Made with high class precision.
- High corrosion resistance.
- Safety assured means no sharp bends or cuts.
- Various sizes available for all size doors and windows.
- Applications : Flush Door, Bathroom Door.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Height (H)	Screw Size	No. of Hole Ø
3"	930101XX	50mm	5×19	3






DOOR SILENCER




- Door stopper made from AISI-304 stainless steel and PU rubber.
- Smooth functioning , never interrupting movement.
- Made with high class precision.
- High corrosion resistance.
- Safety assured means no sharp bends or cuts.
- Various sizes available for all size doors and windows.
- Applications : Flush Door, Bathroom Door.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Product	Article	Height (H)	Screw Size	No. of Hole Ø
3"	930101XX	75mm	5×19	3





AL-DROP


AJANTA AL-DROP



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 16mm.
- Type of Door : Wooden.
- Material : SUS 304 Casting

Available in - Satin Stainless Steel

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
960132XX	200mm	16mm	2	6
960133XX	250mm	16mm	3	8
960134XX	300mm	16mm	3	8
960135XX	350mm	16mm	4	10




ALORA AL-DORP



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 16mm & 14mm
- Type of Door : Wooden.
- Material : SUS 304 sheet metal.

Available in - Satin Stainless Steel

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
960232XX	200mm	16mm	2	8
960233XX	250mm	16mm	3	10
960234XX	300mm	16mm	3	10
960235XX	350mm	16mm	4	12




ALORA AL-DORP



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 16mm & 14mm
- Type of Door : Wooden.
- Material : SUS 304 sheet metal.

Available in - Satin Stainless Steel

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
960222XX	200mm	14mm	2	8
960223XX	250mm	14mm	3	10
960224XX	300mm	14mm	3	10




COMBO SLEEK AL-DROP




- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 16mm.
- Type of Door : Wooden.
- Material : SUS 201 sheet metal.
- Material of Knuckle : SUS 201 casting.

Available in - Two Tone, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass.

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
962732XX	200mm	16mm	2	6
962733XX	250mm	16mm	3	8
962734XX	300mm	16mm	3	8
962735XX	350mm	16mm	4	10




BEND AL-DROP



- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 16mm and 14mm.
- Type of Door : Wooden.
- Material : SUS 201 sheet metal.

Available in - Satin Stainless Steel

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
964732XX	200mm	16mm	2	8
964733XX	250mm	16mm	3	10
964734XX	300mm	16mm	3	10
964735XX	350mm	16mm	4	12




BEND AL-DROP



- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 16mm and 14mm.
- Type of Door : Wooden.
- Material : SUS 201 sheet metal.

Available in - Satin Stainless Steel

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
964722XX	200mm	14mm	2	8
964723XX	250mm	14mm	3	10
964724XX	300mm	14mm	3	10
964725XX	350mm	14mm	4	12




STRAIGHT AL-DROP



- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 16mm and 14mm.
- Type of Door : Wooden.
- Material : SUS 201 sheet metal.

Available in - Satin Stainless Steel

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
964632XX	200mm	16mm	2	8
964633XX	250mm	16mm	3	10
964634XX	300mm	16mm	3	10
964635XX	350mm	16mm	4	12




STRAIGHT AL-DROP



- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 16mm and 14mm.
- Type of Door : Wooden.
- Material : SUS 201 sheet metal.

Available in - Satin Stainless Steel

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
964622XX	200mm	14mm	2	8
964623XX	250mm	14mm	3	10
964624XX	300mm	14mm	3	10
964625XX	350mm	14mm	4	12




ALORA LATCH




- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 12mm.
- Type of Door : Wooden.
- Material : SUS 304 sheet metal.

Available in - Satin Stainless Steel

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
950112XX	200mm	12mm	2	4
950113XX	250mm	12mm	3	6
950114XX	300mm	12mm	3	6




SLEEK COMBO LATCH



- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Diameter of Rod 16mm.
- Type of Door : Wooden.
- Material : SUS 201 sheet metal.
- Material of Knuckle : SUS 201 casting.

Available in - Two Tone, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass.

Article	Length of Rod (L)	Diameter of Rod	No. of Knuckle	No. of Hole
952112XX	200mm	12mm	2	4
952113XX	250mm	12mm	3	6
952114XX	300mm	12mm	3	6





ROSE PULL HANDLE


ETIOS



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw
920101XX	251mm	200mm	6 x 25	4
920102XX	301mm	250mm	6 x 25	4
920103XX	351mm	300mm	6 x 25	4




DECENT



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw
920201XX	258mm	200mm	6 x 25	4
920202XX	308mm	250mm	6 x 25	4
920203XX	358mm	300mm	6 x 25	4




AVALONE



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw
920301XX	255mm	200mm	6 x 25	4
920302XX	305mm	250mm	6 x 25	4
920303XX	355mm	300mm	6 x 25	4




FORTUNER



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw
920401XX	260mm	200mm	6 x 25	4
920402XX	310mm	250mm	6 x 25	4
920403XX	360mm	300mm	6 x 25	4




LADO



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw
920501XX	255mm	200mm	6 x 25	4
920502XX	305mm	250mm	6 x 25	4
920503XX	355mm	300mm	6 x 25	4




NIKON



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw
920601XX	251mm	200mm	6 x 25	4
920602XX	301mm	250mm	6 x 25	4
920603XX	351mm	300mm	6 x 25	4






PULL HANDLE



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw	Bush inner Diameter
910101XX	228mm	200mm	10 x 32	2	M6
910102XX	278mm	250mm	10 x 32	2	M6
910103XX	328mm	300mm	10 x 32	2	M6




AVALONE



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw	Bush inner Diameter
910201XX	225mm	200mm	10 x 32	2	M6
910202XX	275mm	250mm	10 x 32	2	M6
910203XX	325mm	300mm	10 x 32	2	M6




DECENT



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw	Bush inner Diameter
910301XX	228mm	200mm	10 x 32	2	M6
910302XX	278mm	250mm	10 x 32	2	M6
910303XX	328mm	300mm	10 x 32	2	M6




DESIRE



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw	Bush inner Diameter
910401XX	169mm	150mm	10 x 32	2	M6
910402XX	219mm	200mm	10 x 32	2	M6
910403XX	269mm	250mm	10 x 32	2	M6
910404XX	319mm	300mm	10 x 32	2	M6




FORTUNER



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw	Bush inner Diameter
910501XX	230mm	200mm	10 x 32	2	M6
910502XX	280mm	250mm	10 x 32	2	M6
910503XX	330mm	300mm	10 x 32	2	M6




HEXA



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw	Bush inner Diameter
910601XX	300mm	200mm	10 x 32	2	M6
910602XX	350mm	250mm	10 x 32	2	M6
910603XX	450mm	300mm	10 x 32	2	M6




LADO



- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw	Bush inner Diameter
910701XX	225mm	200mm	10 x 32	2	M6
910702XX	275mm	250mm	10 x 32	2	M6
910703XX	325mm	300mm	10 x 32	2	M6






- AISI-304 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 304 sheet metal & SUS 304 Pipe.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Length (A)	Center to Center (B)	Screw Size	No. of Screw	Bush inner Diameter
910801XX	222mm	200mm	10 x 32	2	M6
910802XX	272mm	250mm	10 x 32	2	M6
910803XX	322mm	300mm	10 x 32	2	M6







Full Square Plate Handle



- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 201 sheet metal & SUS 201 ROD.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Size	Length (L)	Screw Size	No. of Screw
910901XX	6" × 12.00	150mm	25	4
910902XX	8" × 12.00	200mm	25	4





Moon Handle



- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 201 sheet metal & SUS 201 ROD.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Size	Length (L)	Screw Size	No. of Screw
952112XX	6" x 12.00	200mm	25	4
952113XX	8" x 12.00	250mm	25	4









Kwid Handle




- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 201 sheet metal.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Size	Length (L)	Screw Size	No. of Screw
900101XX	4" x 3.00	102mm	25	4
900102XX	5" x 3.00	127mm	25	4
900103XX	6" x 3.00	154mm	25	4









- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 201 sheet metal.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Size	Length (L)	Screw Size	No. of Screw
900201XX	5" x 3.00	127mm	25	4
900202XX	6" x 3.00	154mm	25	4







A-Two Handle



- AISI-201 Grade Stainless Steel
- High corrosion resistance.
- Fire resistant.
- Material : SUS 201 sheet metal.

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

Article	Size	Length (L)	Screw Size	No. of Screw
952112XX	5" x 4.00	200mm	25	4
952113XX	6" x 4.00	250mm	25	4
952114XX	8" x 4.00	300mm	25	4



DCo63T



- High Quality die-aluminum alloy, protected with two-layer bright paint.
- Two hydraulic press valves controlling two stage doors closing speed automatically, 180 degrees fully hydraulic control.
- Two Stage speed adjustable, maximum opening degree is 180 degree.
- Can be installed on right and left opening doors, no need to refit.
- Standard color : Silver

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

DCo80R



- High Quality die-aluminum alloy, protected with two-layer bright paint.
- Two hydraulic press valves controlling two stage doors closing speed automatically, 180 degrees fully hydraulic control.
- Two Stage speed adjustable, maximum opening degree is 180 degree.
- Can be installed on right and left opening doors, no need to refit.
- Standard color : Silver

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold

DC160A



- High Quality die-aluminum alloy, protected with two-layer bright paint.
- Two hydraulic press valves controlling two stage doors closing speed automatically, 180 degrees fully hydraulic control.
- Two Stage speed adjustable, maximum opening degree is 180 degree.
- Can be installed on right and left opening doors, no need to refit.
- Standard color : Silver

Available in - Satin Lacquered, Antique Brass, Antique Copper, Matt Black, Matt Antique Brass, Scotch Bright Rose Gold



Steel Paradise (India) Pvt. Ltd.

Corp. Office : C-93, Sec-3, DSIDC,
Bawana Indl. Estate, Delhi-110 039
T. 97182 93000 | E. info@akssteel.com
www.akssteel.com

 akssteelindia  steelhardwares  company/akssteelindia